Electroencephalography and clinical Neurophysiology, 1988, 71: 475–478
Elsevier Scientific Publishers Ireland, Ltd.

INDEX OF AUTHORS

VOLUME 71 (EP), 1988

(The numbers followed by P refer to abstracts from Society Proceedings)

Aminoff, M.J., see Shih, P.-Y., 319
Aneja, I.S., see Mustafa, K.Y., 133
Arar, I., see Mustafa, K.Y., 133

Barajas, J.J., see Martin, L., 375
Bodis-Wollner, I., see Glover, A., 461
Branston, N.M., see Ladds, A., 233
Branston, N.M., see Momma, F., 304
Brown, E.G., see Karmel, B.Z., 429
Brunko, E., see Zegers de Beyl, D., 17
Bussone, G., see Scaoli, V., 153

Cedzich, C., Schramm, J., Mengedoht, C.F. and Fahlbusch, R., Factors that limit the use of flash visual evoked potentials for surgical monitoring, 142
Chan, Y.W., Woo, E.K.W., Hammond, S.R., Yiannikas, C. and McLeod, J.G., The interaction between sex and click polarity in brain-stem auditory potentials evoked from control subjects of Oriental and Caucasian origin, 77
Chiarenza, G.A., D'Ambrosio, G.M. and Guareschi Cazzullo, A., Sex and ear differences of brain-stem acoustic evoked potentials in a sample of normal full-term newborns. Normative study, 357
Church, M.W., see Gritzke, R., 389
Costello, J.A., see Stapells, D.R., 289
Cracco, J.B., see Pelosi, L., 422
Cracco, R.Q., see Pelosi, L., 422

Daldry, S.J., see Pitt, M.C., 150
D'Ambrosio, G.M., see Chiarenza, G.A., 357
Deiber, M.P., Ibañez, V., Fischer, C., Perrin, F. and Mauguière, F., Sequential mapping favours the hypothesis of distinct generators for Na and Pa middle latency auditory evoked potentials, 187
Delberghe, X., see Zegers de Beyl, D., 17
Deuschl, G., see Ebner, A., 170
Dimitrijevic, M.R., see Lehmkuhl, L.D., 161
Drasdo, N. and Furlong, P., Coordinate systems for evoked potential topography, 469
D'Souza, B.J., see Kaplan, P.W., 266
Ducati, A., Fava, E. and Motti, E.D.F., Neuronal generators of the visual evoked potentials: intracerebral recording in awake humans, 89
Durrant, J.D. and Furman, J.M.R., Long-latency rotational evoked potentials in subjects with and without bilateral vestibular loss, 251

Ebner, A. and Deuschl, G., Frontal and parietal components of enhanced somatosensory evoked potentials: a comparison between pathological and pharmacologically induced conditions, 170
Ellison, G.W., see Nuwer, M.R., 33
Erwin, C.W., see Kaplan, P.W., 266

Fagan, E.R., see Taylor, M.J., 323
Fahlbusch, R., see Cedzich, C., 142
Fava, E., see Ducati, A., 89
Favale, E., see Leandri, M., 114, 415
Fein, G., see Turetsky, B.I., 310
Fernandez, R., see Martin, L., 375
Fischer, C., see Deiber, M.P., 187
Fleck, K.M. and Polich, J., P300 and the menstrual cycle, 157
Fledelius, H.C., see Petrera, J.E., 146
Ford, J.M., see Pfefferbaum, A., 55
Fortgens, C., see Van Woerkom, T.C.A.M., 443
Fuchigami, Y., see Kameyama, S., 348
Furlong, P., see Drasdo, N., 469
Furman, J.M.R., see Durrant, J.D., 251

Galambos, R., see Stapells, D.R., 289
Garcia Larrea, L. and Mauguière, F., Latency and amplitude abnormalities of the scalp far-field P14 to median nerve stimulation in multiple sclerosis. A SEP study of 122 patients recorded with a non-cephalic reference montage, 180
Gardner, J.M., see Karmel, B.Z., 429
Ghilardi, M.F., see Glover, A., 461
Giesser, B.S., see Novak, G.P., 1
Glover, A., Ghilardi, M.F., Bodis-Wollner, I. and Onofrj, M., Alterations in event-related potentials (ERPs) of MPTP-treated monkeys, 461
Goitein, K., see Sohmer, H., 382
Goodin, D.S., see Shih, P.-Y., 319
Greisen, G., see Pryds, O., 257
Gritzke, R. and Church, M.W., Effects of cocaine on the brain-stem auditory evoked potential in the Long-Evans rat, 389
Guareschi Cazzullo, A., see Chiarenza, G.A., 357

0168-5597/88/$03.50 © 1988 Elsevier Scientific Publishers Ireland, Ltd.

Halonen, J.-P., Jones, S. and Shawkat, F., Contribution of cutaneous and muscle afferent fibres to cortical SEPs following median and radial nerve stimulation in man, 331
Hammond, S.R., see Chan, Y.W., 77
Hari, R., Joutsiniemi, S.-L. and Sarvas, J., Spatial resolution of neuromagnetic records: theoretical calculations in a spherical model, 64
Hashimoto, M., see Tsuji, S., 273
Hassan, N.F., see Pelosi, L., 422
Helgason, C.M., see Hughes, J.R., 367
Herbaut, A.G., see Zegers de Beyl, D., 17
Hughes, J.R., Helgason, C.M. and Wilbur, A., Neuroanatomic correlations with the late waves of the brain-stem auditory evoked potential, 367
Hummel, C., see Kobal, G., 241
Hunt, M., see Picton, T., 212

Ibañez, V., see Deiber, M.P., 187
Ivanovic, L., see Towle, V.L., 336
Iwamoto, K., see Iwayama, K., 125
Iwayama, K., Mori, K., Iwamoto, K., Yamauchi, T. and Masago, M., Origin of frontal N15 component of somatosensory evoked potential in man, 125

Jacobson, G.P. and Tew, J.M., The origin of the scalp recorded P14 following electrical stimulation of the median nerve: intraoperative observations, 73
Jannetta, P.J., see Møller, A.R., 198
Jones, S., see Halonen, J.-P., 331
Joutsiniemi, S.-L., see Hari, R., 64

Kadoya, C., see Tsuji, S., 280
Kadoya, C., see Urasaki, E., 400
Kameyama, S., Yamada, T., Matsuoka, H., Fuchigami, Y., Nakazumi, Y., Suh, C.-k. and Kimura, J., Stationary potentials after median nerve stimulation: changes with arm position, 348
Kaplan, P.W., Rawal, K., Erwin, C.W., D'Souza, B.J. and Spock, A., Visual and somatosensory evoked potentials in vitamin E deficiency with cystic fibrosis, 266
Karmel, B.Z., Gardner, J.M., Zappulla, R.A., Magnano, C.L. and Brown, E.G., Brain-stem auditory evoked responses as indicators of early brain insult, 429
Kellett, A., see Plourde, G., 405
Khogali, M., see Mustafa, K.Y., 133
Kimura, J., see Kameyama, S., 348
Kobal, G. and Hummel, C., Cerebral chemosensory evoked potentials elicited by chemical stimulation of the human olfactory and respiratory nasal mucosa, 241
Krafczyk, S., see Paulus, W.M., 81
Kraus, N., see Smith, D.I., 296
Kurtzberg, D., see Novak, G.P., 1

Ladds, A., Branston, N.M., Vajda, J., McGillicuddy, J.E. and Symon, L., Changes in somatosensory evoked potentials following an experimental focal ischaemic lesion in thalamus, 233
Laureau, E., Majnemer, A., Rosenblatt, B. and Riley, P., A longitudinal study of short latency somatosensory evoked responses in healthy newborns and infants, 100
Leandri, M., Parodi, C.I. and Favale, E., Early trigeminal evoked potentials in tumours of the base of the skull and trigeminal neuralgia, 114
Leandri, M., Parodi, G.I. and Favale, E., Normative data on scalp responses evoked by infraorbital nerve stimulation, 415
Lehmkuhl, L.D., Dimitrijevic, M.R. and Zidar, J., Lumbosacral evoked potentials (LSEPs) and cortical somatosensory evoked potentials (SEPs) in patients with lesions of the conus medullaris and cauda equina, 161
Lovrich, D., Novick, B. and Vaughan, Jr., H.G., Topographic analysis of auditory event-related potentials associated with acoustic and semantic processing, 40

Magnano, C.L., see Karmel, B.Z., 429
Majnemer, A., see Laureau, E., 100
Makeig, S., see Stapells, D.R., 289
Mantle, M.M., see Shih, P.-Y., 319
Martin, L., Barajas, J.J., Fernandez, R. and Torres, E., Auditory event-related potentials in well-characterized groups of children, 375
Maru, J., see Picton, T., 212
Masago, M., see Iwayama, K., 125
Matei, M., see Psatta, D.M., 27
Matsuoka, H., see Kameyama, S., 348
Matsuoka, S., see Urasaki, E., 400
Matsuzaki, H., see Urasaki, E., 400
Mauguière, F., see Deiber, M.P., 187
Mauguière, F., see Garcia Larrea, L., 180
McGillicuddy, J.E., see Ladds, A., 233
McLeod, J.G., see Chan, Y.W., 77
Mengedoht, C.F., see Cedzich, C., 142
Mervaala, E., Pääkkönen, A. and Partanen, J.V., The influence of height, age and gender on the interpretation of median nerve SEPs, 109
Michalewski, H.J., see Patterson, J.V., 450
Momma, F., Sabin, H.I., Branston, N.M. and Symon, L., The effect of experimental ischaemia on the direct cortical response of the motor cortex in primates, 304
Mori, K., see Iwayama, K., 125
Motti, E.D.F., see Ducati, A., 89
Mowrey, R., see Picton, T., 212
Munson, R., see Towle, V.L., 336
Murai, Y., see Tsuji, S., 273, 280
Mustafa, K.Y., Aneja, I.S., Khogali, M., Nasreldin, A. and Arar, I., Effect of hyperthermia on brain auditory evoked potentials in the conscious sheep, 133
Myers, L.W., see Nuwer, M.R., 33
Møller, A.R., Use of zero-phase digital filters to enhance brain-stem auditory evoked potentials (BAEPs), 226
Møller, A.R., Jannetta, P.J. and Sekhar, L.N., Contributions from the auditory nerve to the brain-stem auditory evoked potentials (BAEPs): results of intracranial recording in man, 198

Nakazumi, Y., see Kameyama, S., 348
Nasreldin, A., see Mustafa, K.Y., 133
Novak, G.P., Wiznitzer, M., Kurtzberg, D., Giesser, B.S. and Vaughan, Jr., H.G., The utility of visual evoked potentials using hemifield stimulation and several check sizes in the evaluation of suspected multiple sclerosis, 1
Novick, B., see Lovrich, D., 40
Nuwer, M.R., Packwood, J.W., Ellison, G.W. and Myers, L.W., A parametric scale for BAEP latencies in multiple sclerosis, 33

Ohira, T., see Towle, V.L., 336
Onofrj, M., see Glover, A., 461

Packwood, J.W., see Nuwer, M.R., 33
Parodi, C.I., see Leandri, M., 114, 415
Partanen, J.V., see Mervaala, E., 109
Patterson, J.V., Michalewski, H.J. and Starr, A., Latency variability of the components of auditory event-related potentials to infrequent stimuli in aging, Alzheimer-type dementia, and depression, 450
Paulus, W.M., Plendl, H. and Krafczyk, S., Spatial dissociation of early and late colour evoked components, 81
Pelosi, L., Cracco, J.B., Cracco, R.Q. and Hassan, N.F., Comparison of scalp distribution of short latency somatosensory evoked potentials (SSEPs) to stimulation of different nerves in the lower extremity, 422
Perrin, F., see Deiber, M.P., 187
Petrera, J.E., Fledelius, H.C. and Trojaborg, W., Serial pattern evoked potential recording in a case of toxic optic neuropathy due to ethambutol, 146
Pfefferbaum, A. and Ford, J.M., ERPs to stimuli requiring response production and inhibition: effects of age, probability and visual noise, 55
Picton, T., Hunt, M., Mowrey, R., Rodriguez, R. and Maru, J., Evaluation of brain-stem auditory evoked potentials using dynamic time warping, 212
Picton, T., see Plourde, G., 405
Pitt, M.C. and Daldry, S.J., The use of weighted quadratic regression for the study of latencies of the P100 component of the visual evoked potential, 150
Plendl, H., see Paulus, W.M., 81
Plourde, G., Picton, T. and Kellett, A., Interweaving and overlapping of evoked potentials, 405
Polich, J., see Fleck, K.M., 157
Pryds, O., Greisen, G. and Trojaborg, W., Visual evoked potentials in preterm infants during the first hours of life, 257
Psatta, D.M. and Matei, M., Age-dependent amplitude variation of brain-stem auditory evoked potentials, 27
Pääkkönen, A., see Mervaala, E., 109

Rawal, K., see Kaplan,P.W., 266
Raz, J., see Turetsky, B.I., 310
Rezzonico, M., see Scaoli, V., 153
Riley, P., see Laureau, E., 100
Rodriguez, R., see Picton, T., 212
Rompel-Martens, C.M.C., see Van Woerkom, T.C.A.M., 443
Rosenblatt, B., see Laureau, E., 100

Sabin, H.I., see Momma, F., 304
Sarvas, J., see Hari, R., 64
Savoiardo, M., see Scaoli, V., 153
Scaoli, V., Savoiardo, M., Bussone, G. and Rezzonico, M., Brain-stem auditory evoked potentials (BAEPs) and magnetic resonance imaging (MRI) in a case of facial myokymia, 153
Schramm, J., see Cedzich, C., 142
Sekhar, L.N., see Møller, A.R., 198
Shawkat, F., see Halonen, J.-P., 331
Shih, P.-Y., Aminoff, M.J., Goodin, D.S. and Mantle, M.M., Effect of reference point on visual evoked potentials: clinical relevance, 319
Small, M., Visual evoked potentials in a patient with prosopagnosia, 10
Smith, D.I. and Kraus, N., Intracranial and extracranial recordings of the auditory middle latency response, 296
Sohmer, H. and Goitein, K., Auditory brain-stem (ABP) and somatosensory evoked potentials (SEP) in an animal model of a synaptic lesion: elevated plasma barbiturate levels, 382
Spire, J.-P., see Towle, V.L., 336
Spock, A., see Kaplan, P.W., 266
Stapells, D.R., Galambos, R., Costello, J.A. and Makeig, S., Inconsistency of auditory middle latency and steady-state responses in infants, 289
Starr, A., see Patterson, J.V., 450
Suh, C.-k., see Kameyama, S., 348
Symon, L., see Ladds, A., 233
Symon, L., see Momma, F., 304

Taylor, M.J. and Fagan, E.R., SEPs to median nerve stimulation: normative data for paediatrics, 323
Tew, J.M., see Jacobson, G.P., 73
Torres, E., see Martin, L., 375
Towle, V.L., Munson, R., Ohira, T., Ivanovic, L., Witt, J.C. and Spire, J.-P., Three-dimensional human somatosensory evoked potentials, 336
Trojaborg, W., see Petrera, J.E., 146
Trojaborg, W., see Pryds, O., 257
Tsuji, S., Murai, Y. and Hashimoto, M., Frontal distribution of early cortical somatosensory evoked potentials to median nerve stimulation, 273
Tsuji, S., Murai, Y. and Kadoya, C., Topography of somatosensory evoked potentials to median nerve stimulation in patients with cerebral lesions, 280
Turetsky, B.I., Raz, J. and Fein, G., Noise and signal power and their effects on evoked potential estimation, 310

Urasaki, E., Wada, S., Kadoya, C., Matsuzaki, H., Yokota, A. and Matsuoka, S., Absence of spinal N13-P13 and normal scalp far-field P14 in a patient with syringomyelia, 400

Vajda, J., see Ladds, A., 233
Van Woerkom, T.C.A.M., Fortgens, C., Rompel-Martens, C.M.C. and Van de Wetering, B.J.M., Auditory event-re-

lated potentials in adult patients with Gilles de la Tourrette's syndrome in the oddball paradigm, 443
Van de Wetering, B.J.M., see Van Woerkom, T.C.A.M., 443
Vaughan, Jr., H.G., see Lovrich, D., 40
Vaughan, Jr., H.G., see Novak, G.P., 1

Wada, S., see Urasaki, E., 400
Wilbur, A., see Hughes, J.R., 367
Witt, J.C., see Towle, V.L., 336
Wiznitzer, M., see Novak, G.P., 1
Woo, E.K.W., see Chan, Y.W., 77

Yamada, T., see Kameyama, S., 348
Yamauchi, T., see Iwayama, K., 125
Yiannikas, C., see Chan, Y.W., 77
Yokota, A., see Urasaki, E., 400

Zappulla, R.A., see Karmel, B.Z., 429
Zegers de Beyl, D., Delberghe, X., Herbaut, A.G. and Brunko, E., The somatosensory central conduction time: physiological considerations and normative data, 17
Zidar, J., see Lehmkuhl, L.D., 161

Electroencephalography and clinical Neurophysiology, 1988, 71: 479–482
Elsevier Scientific Publishers Ireland, Ltd.

INDEX OF SUBJECTS

VOLUME 71 (EP), 1988

(Abstracts from Society Proceedings are not included)

Acoustic and semantic processing, 40
Age
- AEPs in Alzheimer dementia and depression, 450
- BAEP amplitude variation, 27
- ERP to response production and inhibition stimuli, 55
- influence on SEPs, 109
- weighted quadratic regression of P100, 150
Alzheimer's disease, depression and AEPs, 450
Anosmia
- cerebral chemosensory evoked potentials, 241
Auditory brain-stem potentials
- and cocaine, 389
- as indicators of early brain insult, 429
- amplitude variation with age, 27
- contributions from auditory nerve to BAEP, 198
- digital filters for enhancing BAEPs, 226
- dynamic time warping for BAEP evaluation, 212
- hyperthermia effects, 133
- in MPTP-treated monkeys, 461
- interaction of sex and click polarity, 77
- in synaptic lesion model: barbiturates, 382
- late wave, 367
- of newborns, sex and ear differences, 357
- parametric scale and multiple sclerosis, 33
Auditory evoked potentials
- ERPs in children, 375
- in aging, Alzheimer dementia and depression, 450
- in Gilles de la Tourette's syndrome, 443
- intracranial and extracranial recordings of MLR, 296
- noise and signal power in EP measurement, 310
- sequential mapping of Na and Pa MLAEPs, 187
- steady-state responses in infants, 289
Auditory nerve contributions to BAEP, 198
Automatic analysis
- BAEP evaluation using dynamic time warping, 212
Averaging
- interweaving and overlapping of EPs, 405
- noise and signal power in EP measurement, 310
Axonal propagation
- in synaptic lesion model: barbiturates, 382

BAEPs, *see* Auditory brain-stem potentials
Barbiturates
- BAEP and SEP in synaptic lesion model, 382
Book reviews, 474
Brain-stem and early brain insult, 429

Cerebral blood flow, *see* Ischaemia
Cerebral lesions, *see* Lesions
Cerebrovascular disease
- AEPs in aging, Alzheimer dementia and depression, 450
- origin of frontal SEP by median nerve stimulation, 125
- topography of SEPs and cerebral lesions, 280
Chemosensory evoked potentials, 241
Children
- auditory ERP, 375
- auditory steady-state responses, 289
- norms for median nerve SEPs, 323
- SEPs in healthy newborns and infants, 100
- VEPs in preterm infants, and core temperature, 257
Cocaine and the BAEP, 389
Conduction time, 17
Cortex
- enhanced SEPs in cortical myoclonus, 170
- late wave of BAEP, 367
Cutaneous and muscle afferents in cortical SEP, 331
Cystic fibrosis, vitamin E deficiency and EPs, 266

Dementia, depression and AEPs, 450
Development
- auditory steady-state responses in infants, 289
Digital filters for enhancing BAEPs, 226
Direct cortical response and ischaemia, 304
Dopamine
- ERPs in MPTP-treated monkeys, 461
Drugs
- cocaine and the BAEP, 389
- enhanced SEPs in cortical myoclonus, 170
- parametric BAEP scale and multiple sclerosis, 33

Ear
- BAEPs of newborns, sex and ear differences, 357
Early components, *see* Short latency components
Electroconvulsive shock
- enhanced SEPs in cortical myoclonus, 170
Electrophysiology
- late wave of BAEP, 367

0168-5597/88/$03.50 © 1988 Elsevier Scientific Publishers Ireland, Ltd.

EMG
- BAEP and MRI in facial myokymia, 153
Epilepsy
- enhanced SEPs in cortical myoclonus, 170
Ethambutol
- pattern VEPs in ethambutol optic neuropathy, 146
Etomidate
- enhanced SEPs in cortical myoclonus, 170
Event-related potentials
- and the menstrual cycle, 157
- in acoustic and semantic processing, 40
- in aging, Alzheimer dementia and depression, 450
- in children, 375
- in Gilles de la Tourette's syndrome, 443
- in MPTP-treated monkeys, 461
- to response production and inhibition stimuli, 55
Evoked potentials
- auditory, *see* Auditory evoked potentials
- BAEPs, *see* Auditory brain-stem potentials
- cerebral chemosensory evoked potentials, 241
- coordinate system for EP topography, 469
- interweaving and overlapping of EPs, 405
- ischaemia and direct cortical response in primates, 304
- long latency rotational evoked potentials, 251
- noise and signal power in EP measurement, 310
- olfactory, *see* Olfaction
- somatosensory, *see* Somatosensory evoked potentials
- to infraorbital nerve stimulation, 415
- to pattern, *see* Pattern
- visual, *see* Visual evoked potentials

Facial myokymia and MRI, 153
Far-field potentials
- far-field P14 in multiple sclerosis, 180
- scalp and spinal SEP and syringomyelia, 400
- stationary potentials and arm position, 348
First hours of life
- VEPs in preterm infants, and core temperature, 257
Frontal cortex
- origin of SEP by median nerve stimulation, 125
- topography of early SEPs, 273

Generators
- contributions from auditory nerve to BAEP, 198
- intracerebral VEPs in awake humans, 89
- origin of frontal SEP by median nerve stimulation, 125
- origin of somatosensory P14, 73
- sequential mapping of Na and Pa MLAEPs, 187
Gilles de la Tourette's syndrome and auditory ERPs, 443
Go and no-go stimuli
- ERP to response production and inhibition stimuli, 55

Height influence on SEPs, 109
Hemifield amd multiple check size VEPs, 1
Hemiplegia
- topography of SEPs and cerebral lesions, 280

Hemispheric specialization
- VEPs in a prosopagnosic patient, 10
Hyperthermia effects on AEPs, 133

Infants, *see* Children
Infraorbital nerve
- trigeminal neuralgia in skull base tumours, 114
- scalp EPs, 415
Intracerebral recording
- contributions from auditory nerve to BAEP, 198
- spatial dissociation of colour EPs, 81
Intracranial and extracranial recordings of MLR, 296
Ischaemia
- and direct cortical response in primates, 304
- SEPs in experimental thalamic ischaemia, 233

Lesions
- BAEPs as indicators of early brain insult, 429
- late wave of BAEP, 367
- SEPs with cauda equina injuries, 161
Lissajous' trajectories of human SEPs, 336
Long latency components of BAEP, 367
Lumbo-sacral EPs and cauda equina injuries, 161

Magnetic resonance imaging in facial myokymia, 153
Magnetoencephalogram, spatial resolution, 64
Mapping, *see* Topography
Maturation
- BAEPs as indicators of early brain insult, 429
- SEPs in healthy newborns and infants, 100
Median nerve
- far-field P14 in multiple sclerosis, 180
- origin of somatosensory P14, 73
- paediatric norms for SEPs, 323
- stationary potentials and arm position, 348
- topography of frontal early SEPs, 273
- topography of SEPs and cerebral lesions, 280
Menstrual cycle and P300, 157
Middle-latency response
- auditory steady-state responses in infants, 289
- hyperthermia effects on AEPs, 133
- intracranial and extracranial recordings, 296
- sequential mapping of Na and Pa MLAEPs, 187
Models
- spatial resolution of MEG, 64
Monitoring
- intraoperative monitoring of flash VEP, 142
Monkey, *see* Primates
Motor cortex
- ischaemia and direct cortical response in primates, 304
Multimodality
- interweaving and overlapping of EPs, 405
Multiple sclerosis
- BAEP and MRI in facial myokymia, 153
- far-field P14, 180
- parametric BAEP scale, 33
- VEPs in the evaluation of suspected MS, 1

Muscle afferents in cortical SEP, 331
Myoclonus and enhanced SEPs, 170
Myokymia
- BAEP and MRI in facial myokymia, 153

Neonates
- BAEPs as indicators of early brain insult, 429
- BAEPs of newborns, sex and ear differences, 357
- SEPs in healthy newborns and infants, 100
- *see also* Prematures
Neuralgia
- trigeminal neuralgia and EPs in skull base tumours, 114
Neurological disorders
- Alzheimer dementia and depression, 450
- cauda equina injuries, 161
- early brain insult, 429
- facial myokymia, 153
- Gilles de la Tourette's syndrome, 443
- hemiplegia, 280
- multiple sclerosis, *see* Multiple sclerosis
- trigeminal neuralgia in skull base tumours, 114
- *see also* Ischaemia
Neurotoxicity of drugs
- pattern VEPs in ethambutol optic neuropathy, 146
Normative data
- BAEPs of newborns, sex and ear differences, 357
- paediatric norms for median nerve SEPs, 323
- scalp EPs to infraorbital nerve stimulation, 415
- somatosensory central conduction time, 17
N100
- effect of reference point on VEP, 319

Oddball paradigm
- ERPs in Gilles de la Tourette's syndrome, 443
- ERPs in MPTP-treated monkeys, 461
Old age, *see* Aging
Olfaction
- cerebral chemosensory evoked potentials, 241
Oral contraceptive
- P300 and the menstrual cycle, 157

Pain
- cerebral chemosensory evoked potentials, 241
Parkinsonism
- ERPs in MPTP-treated monkeys, 461
Pattern VEPs
- hemifield and multiple check size VEPs, 1
- in ethambutol optic neuropathy, 146
- in the evaluation of suspected multiple sclerosis, 1
Peak identification using dynamic time warping, 212
Preterm infants
- BAEPs as indicators of early brain insult, 429
- VEPs and core temperature, 257
Primates
- ERPs in MPTP-treated monkeys, 461
- ischaemia and direct cortical response, 304
Prosopagnosia and VEPs, 10
P100
- effect of reference point on VEP, 319
- VEPs in a prosopagnosic patient, 10
- weighted quadratic regression of P100 on age, 150
P300
- and the menstrual cycle, 157
- in aging, Alzheimer dementia and depression, 450
- in a prosopagnosic patient, 10
- in children, 375
- in MPTP-treated monkeys, 461
- to response production and inhibition stimuli, 55

Reference point effect on VEP, 319
Rotational stimulation and long latency EPs, 251

Scalp
- coordinate system for EP topography, 469
- EPs to infraorbital nerve stimulation, 415
- SEPs and syringomyelia, 400
- SEPs to lower extremity stimulation, 422
Semantic processing and ERP topography, 40
Senility, *see* Aging
Sensory convergence and cortical SEP, 331
Sensory evoked potentials, *see* Evoked potentials
Sex differences
- and click polarity in BAEP, 77
- auditory ERP in children, 375
- BAEPs of newborns, 357
- height, age, and SEPs, 109
Short latency components
- scalp EPs to infraorbital nerve stimulation, 415
- topography of frontal early SEPs, 273
- topography of SEPs and cerebral lesions, 280
Signal-to-noise ratio in EP measurement, 310
Skull base tumours and trigeminal neuralgia, 114
Somatosensory evoked potentials
- and cerebral lesions, 280
- and syringomyelia, 400
- central conduction time, 17
- cutaneous and muscle afferents, 331
- enhanced SEPs in cortical myoclonus, 170
- far-field P14 in multiple sclerosis, 180
- in experimental thalamic ischaemia, 233
- in synaptic lesion model: barbiturates, 382
- in vitamin E deficiency with cystic fibrosis, 266
- to lower extremity stimulation, 422
- stationary potentials and arm position, 348
- three-dimensional human SEPs, 336
- paediatric norms for median nerve SEPs, 323
- with cauda equina injuries, 161
- topography, 273, 280
- origin of frontal SEP by median nerve stimulation, 125
- trigeminal neuralgia and skull base tumours, 114
- influence of height, age and gender, 109
- in healthy newborns and infants, 100
- origin of somatosensory P14, 73

Spatial distribution, *see* Topography
Spatial resolution of MEG, 64
Spinal
- SEPs and syringomyelia, 400
- SEPs with cauda equina injuries, 161
Spinocerebellar syndrome
- EPs in vitamin E deficiency with cystic fibrosis, 266
Stationary potentials and arm position, 348
Steady-state auditory response in infants, 289
Synaptic transmission
- BAEP and SEP in synaptic lesion model: barbiturates, 382
Syringomyelia and SEPs, 400

Technique
- coordinate system for EP topography, 469
- digital filters for enhancing BAEPs, 226
Temperature
- VEPs in preterm infants, and core temperature, 257
Temporo-spatial organization
- sequential mapping of Na and Pa MLAEPs, 187
Thalamus
- topography of SEPs and cerebral lesions, 280
- SEPs in experimental thalamic ischaemia, 233
Time warping technique and BAEP evaluation, 212
Topography
- of SEPs and cerebral lesions, 280
- of frontal early SEPs, 273
- spatial dissociation of colour EPs, 81
- of EPs in acoustic and semantic processing, 40
- coordinate system for EP topography, 469
- sequential mapping of Na and Pa MLAEPs, 187
Trigeminal
- infraorbital nerve SEPs, 415
- neuralgia and EPs in skull base tumours, 114
Tumours
- topography of SEPs and cerebral lesions, 280
- EPs in skull base tumours, 114

Ultrasonography
- BAEPs as indicators of early brain insult, 429

Vestibular syndrome
- long-latency rotational evoked potentials, 251
Vision
- spatial dissociation of colour EPs, 81
Visual evoked potentials
- effect of reference point, 319
- enhanced SEPs in cortical myoclonus, 170
- far-field P14 in multiple sclerosis, 180
- frontal early SEP topography, 273
- hemifield and multiple check size VEPs, 1
- in a prosopagnosic patient, 10
- in ethambutol optic neuropathy, 146
- in preterm infants, and core temperature, 257
- in the evaluation of suspected multiple sclerosis, 1
- intracerebral VEPs in awake humans, 89
- intraoperative monitoring of flash VEP, 142
- in vitamin E deficiency with cystic fibrosis, 266
- noise and signal power in EP measurement, 310
- spatial dissociation of colour EPs, 81
- weighted quadratic regression of P100 on age, 150
- *see also* Pattern
Visual impairment in ethambutol optic neuropathy, 146
Visual noise
- ERP to response production and inhibition stimuli, 55
Visual pathways
- intraoperative monitoring of flash VEP, 142
Vitamins
- EPs in vitamin E deficiency with cystic fibrosis, 266



Electroencephalography and clinical Neurophysiology, 1988, 71: 483–485
Elsevier Scientific Publishers Ireland, Ltd.

TABLE OF CONTENTS

VOLUME 71 (EP), 1988

MAIN ARTICLES

The utility of visual evoked potentials using hemifield stimulation and several check sizes in the evaluation of suspected multiple sclerosis (EEG 03235)
G.P. Novak, M. Wiznitzer, D. Kurtzberg, B.S. Giesser and H.G. Vaughan, Jr. (U.S.A.) 1
Visual evoked potentials in a patient with prosopagnosia (EEG 01949)
M. Small (U.K.) 10
The somatosensory central conduction time: physiological considerations and normative data (EEG 01979)
D. Zegers de Beyl, X. Delberghe, A.G. Herbaut and E. Brunko (Belgium) 17
Age-dependent amplitude variation of brain-stem auditory evoked potentials (EEG 01942)
D.M. Psatta and M. Matei (Rumania) 27
A parametric scale for BAEP latencies in multiple sclerosis (EEG 03323)
M.R. Nuwer, J.W. Packwood, G.W. Ellison and L.W. Myers (U.S.A.) 33
Topographic analysis of auditory event-related potentials associated with acoustic and semantic processing (EEG 03302)
D. Lovrich, B. Novick and H.G. Vaughan, Jr. (U.S.A.) 40
ERPs to stimuli requiring response production and inhibition: effects of age, probability and visual noise (EEG 03344)
A. Pfefferbaum and J.M. Ford (U.S.A.) 55
Spatial resolution of neuromagnetic records: theoretical calculations in a spherical model (EEG 01981)
R. Hari, S.-L. Joutsiniemi and J. Sarvas (Finland) 64
Spatial dissociation of early and late colour evoked components (EEG 02007)
W.M. Paulus, H. Plendl and S. Krafczyk (F.R.G.) 81
Neuronal generators of the visual evoked potentials: intracerebral recording in awake humans (EEG 02009)
A. Ducati, E. Fava and E.D.F. Motti (Italy) 89
A longitudinal study of short latency somatosensory evoked responses in healthy newborns and infants (EEG 03308)
E. Laureau, A. Majnemer, B. Rosenblatt and P. Riley (Canada) 100
The influence of height, age and gender on the interpretation of median nerve SEPs (EEG 02013)
E. Mervaala, A. Pääkkönen and J.V. Partanen (Finland) 109
Early trigeminal evoked potentials in tumours of the base of the skull and trigeminal neuralgia (EEG 01960)
M. Leandri, C.I. Parodi and E. Favale (Italy) 114
Origin of frontal N15 component of somatosensory evoked potential in man (EEG 03260)
K. Iwayama, K. Mori, K. Iwamoto, T. Yamauchi and M. Masago (Japan) 125
Effect of hyperthermia on brain auditory evoked potentials in the conscious sheep (EEG 01886)
K.Y. Mustafa, I.S. Aneja, M. Khogali, A. Nasreldin and I. Arar (Kuwait) 133
Lumbosacral evoked potentials (LSEPs) and cortical somatosensory evoked potentials (SEPs) in patients with lesions of the conus medullaris and cauda equina (EEG 03320)
L.D. Lehmkuhl, M.R. Dimitrijevic and J. Zidar (U.S.A.) 161
Frontal and parietal components of enhanced somatosensory evoked potentials: a comparison between pathological and pharmacologically induced conditions (EEG 02000)
A. Ebner and G. Deuschl (F.R.G.) 170
Latency and amplitude abnormalities of the scalp far-field P14 to median nerve stimulation in multiple sclerosis. A SEP study of 122 patients recorded with a non-cephalic reference montage (EEG 02025)
L. Garcia Larrea and F. Mauguière (France) 180
Sequential mapping favours the hypothesis of distinct generators for Na and Pa middle latency auditory evoked potentials (EEG 02001)
M.P. Deiber, V. Ibañez, C. Fischer, F. Perrin and F. Mauguière (France) 187

0168-5597/88/$03.50 © 1988 Elsevier Scientific Publishers Ireland, Ltd.

Contributions from the auditory nerve to the brain-stem auditory evoked potentials (BAEPs): results of intracranial recording in man (EEG 03365)
A.R. Møller, P.J. Jannetta and L.N. Sekhar (U.S.A.) 198
Evaluation of brain-stem auditory evoked potentials using dynamic time warping (EEG 03471)
T. Picton, M. Hunt, R. Mowrey, R. Rodriguez and J. Maru (Canada) 212
Use of zero-phase digital filters to enhance brain-stem auditory evoked potentials (BAEPs) (EEG 03434)
A.R. Møller (U.S.A.) 226
Changes in somatosensory evoked potentials following an experimental focal ischaemic lesion in thalamus (EEG 01902)
A. Ladds, N.M. Branston, J. Vajda, J.E. McGillicuddy and L. Symon (U.K., Hungary, U.S.A.) 233
Cerebral chemosensory evoked potentials elicited by chemical stimulation of the human olfactory and respiratory nasal mucosa (EEG 01673)
G. Kobal and C. Hummel (F.R.G.) 241
Long-latency rotational evoked potentials in subjects with and without bilateral vestibular loss (EEG 03483)
J.D. Durrant and J.M.R. Furman (U.S.A.) 251
Visual evoked potentials in preterm infants during the first hours of life (EEG 02124)
O. Pryds, G. Greisen and W. Trojaborg (Denmark) 257
Visual and somatosensory evoked potentials in vitamin E deficiency with cystic fibrosis (EEG 03378)
P.W. Kaplan, K. Rawal, C.W. Erwin, B.J. D'Souza and A. Spock (U.S.A.) 266
Frontal distribution of early cortical somatosensory evoked potentials to median nerve stimulation (EEG 03450)
S. Tsuji, Y. Murai and M. Hashimoto (Japan) 273
Topography of somatosensory evoked potentials to median nerve stimulation in patients with cerebral lesions (EEG 03447)
S. Tsuji, Y. Murai and C. Kadoya (Japan) 280
Inconsistency of auditory middle latency and steady-state responses in infants (EEG 03279)
D.R. Stapells, R. Galambos, J.A. Costello and S. Makeig (U.S.A.) 289
Intracranial and extracranial recordings of the auditory middle latency response (EEG 03376)
D.I. Smith and N. Kraus (U.S.A.) 296
The effect of experimental ischaemia on the direct cortical response of the motor cortex in primates (EEG 02107)
F. Momma, H.I. Sabin, N.M. Branston and L. Symon (U.K.) 304
Noise and signal power and their effects on evoked potential estimation (EEG 03468)
B.I. Turetsky, J. Raz and G. Fein (U.S.A.) 310
SEPs to median nerve stimulation: normative data for paediatrics (EEG 03424)
M.J. Taylor and E.R. Fagan (Canada) 323
Contribution of cutaneous and muscle afferent fibres to cortical SEPs following median and radial nerve stimulation in man (EEG 02137)
J.-P. Halonen, S. Jones and F. Shawkat (U.K.) 331
Three-dimensional human somatosensory evoked potentials (EEG 03535)
V.L. Towle, R. Munson, T. Ohira, L. Ivanovic, J.C. Witt and J.-P. Spire (U.S.A.) 336
Stationary potentials after median nerve stimulation: changes with arm position (EEG 03568)
S. Kameyama, T. Yamada, H. Matsuoka, Y. Fuchigami, Y. Nakazumi, C.-k. Suh and J. Kimura (U.S.A.) 348
Sex and ear differences of brain-stem acoustic evoked potentials in a sample of normal full-term newborns. Normative study (EEG 02061)
G.A. Chiarenza, G.M. D'Ambrosio and A. Guareschi Cazzullo (Italy) 357
Neuroanatomic correlations with the late waves of the brain-stem auditory evoked potential (EEG 03518)
J.R. Hughes, C.M. Helgason and A. Wilbur (U.S.A.) 367
Auditory event-related potentials in well-characterized groups of children (EEG 02019)
L. Martin, J.J. Barajas, R. Fernandez and E. Torres (Spain) 375
Auditory brain-stem (ABP) and somatosensory evoked potentials (SEP) in an animal model of a synaptic lesion: elevated plasma barbiturate levels (EEG 02062)
H. Sohmer and K. Goitein (Israel) 382
Effects of cocaine on the brain-stem auditory evoked potential in the Long-Evans rat (EEG 03555)
R. Gritzke and M.W. Church (U.S.A.) 389
Interweaving and overlapping of evoked potentials (EEG 03609)
G. Plourde, T. Picton and A. Kellett (Canada) 405
Normative data on scalp responses evoked by infraorbital nerve stimulation (EEG 02193)
M. Leandri, C.I. Parodi and E. Favale (Italy) 415
Comparison of scalp distribution of short latency somatosensory evoked potentials (SSEPs) to stimulation of different nerves in the lower extremity (EEG 03569)
L. Pelosi, J.B. Cracco, R.Q. Cracco and N.F. Hassan (U.S.A.) 422

Brain-stem auditory evoked responses as indicators of early brain insult (EEG 03602)
B.Z. Karmel, J.M. Gardner, R.A. Zappulla, C.L. Magnano and E.G. Brown (U.S.A.) 429
Auditory event-related potentials in adult patients with Gilles de la Tourette's syndrome in the oddball paradigm (EEG 02021)
T.C.A.M. Van Woerkom, C. Fortgens, C.M.C. Rompel-Martens and B.J.M. Van de Wetering (The Netherlands) 443
Latency variability of the components of auditory event-related potentials to infrequent stimuli in aging, Alzheimer-type dementia, and depression (EEG 03498)
J.V. Patterson, H.J. Michalewski and A. Starr (U.S.A.) 450
Alterations in event-related potentials (ERPs) of MPTP-treated monkeys (EEG 03519)
A. Glover, M.F. Ghilardi, I. Bodis-Wollner and M. Onofrj (U.S.A.) 461

SHORT COMMUNICATIONS

The origin of the scalp recorded P14 following electrical stimulation of the median nerve: intraoperative observations (EEG 03448)
G.P. Jacobson and J.M. Tew (U.S.A.) 73
The interaction between sex and click polarity in brain-stem auditory potentials evoked from control subjects of Oriental and Caucasian origin (EEG 02056)
Y.W. Chan, E.K.W. Woo, S.R. Hammond, C. Yiannikas and J.G. McLeod (Hong Kong, Australia) 77
Factors that limit the use of flash visual evoked potentials for surgical monitoring (EEG 02053)
C. Cedzich, J. Schramm, C.F. Mengedoht and R. Fahlbusch (F.R.G.) 142
Serial pattern evoked potential recording in a case of toxic optic neuropathy due to ethambutol (EEG 02086)
J.E. Petrera, H.C. Fledelius and W. Trojaborg (Denmark) 146
The use of weighted quadratic regression for the study of latencies of the P100 component of the visual evoked potential (EEG 02048)
M.C. Pitt and S.J. Daldry (U.K.) 150
Brain-stem auditory evoked potentials (BAEPs) and magnetic resonance imaging (MRI) in a case of facial myokymia (EEG 02092)
V. Scaioli, M. Savoiardo, G. Bussone and M. Rezzonico (Italy) 153
P300 and the menstrual cycle (EEG 03407)
K.M. Fleck and J. Polich (U.S.A.) 157
Effect of reference point on visual evoked potentials: clinical relevance (EEG 03530)
P.-Y. Shih, M.J. Aminoff, D.S. Goodin and M.M. Mantle (U.S.A.) 319
Absence of spinal N13-P13 and normal scalp far-field P14 in a patient with syringomyelia (EEG 03668)
E. Urasaki, S. Wada, C. Kadoya, H. Matsuzaki, A. Yokota and S. Matsuoka (Japan) 400
Coordinate systems for evoked potential topography (EEG 02106)
N. Drasdo and P. Furlong (U.K.) 469

BOOK REVIEW

Evoked potentials, III. The 3rd international symposium
edited by C. Barber and R.T. Blum 474

Index of Authors to Volume 71, 1988 475

Index of Subjects to Volume 71, 1988 479

Table of Contents to Volume 71, 1988 483